


CERTIFICATE

| | |
|----------------------------|--|
| Certificate holder | GUTEX Holzfaserplattenwerk H. Henselmann GmbH + Co KG Gutenberg 5 79761 Waldshut-Tiengen GERMANY |
| Production facility | Waldshut-Tiengen |
| Product | Thermal insulation products for buildings |
| Type, Model | Multitherm Wood-fibre thermal insulation board |
| Testing basis | DIN EN 13171:2015-04 DIN EN 13172:2012-04 European Insulation KEYMARK Scheme for Thermal Insulation Products (2016-11) |

Mark of conformity**Registration No.** 011-7D086**Valid until** 2020-06-30**Nutzungsrecht** This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number.

See annex for further information.

2018-06-21


Dipl.-Phys. Carlo Seiser
Deputy Head of Certification Body

ANNEX

Page 1 of 1

| | |
|---|--|
| Certificate | 011-7D086 dated 2018-06-21 |
| Technical Data | Designation code in accordance with DIN EN 13171: WF-EN 13171-T4-WS2,0-CS(10/Y)70-TR7,5-MU4-AFr100 Declared thermal conductivity: 0,040 W/(m*K) Reaction to fire: Euroclasse E Thickness: 20 mm - 160 mm |
| Testing laboratory/ Inspection body | Materialprüfungsanstalt Universität Stuttgart Pfaffenwaldring 32 70569 Stuttgart GERMANY |
| Test report(s) | 90003345/6/Schr dated 2017-04-24 9003345/17/Schr dated 2017-04-26 |
| Surveillance contract/ License agreement | 7000386 dated 2017-01-26 |

