

CERTIFICATE

Certificate holder

**GUTEX Holzfaserplattenwerk
H. Henselmann GmbH + Co KG
Gutenberg 5
79761 Waldshut-Tiengen
GERMANY**

Production facility

Waldshut-Tiengen

Product

Thermal insulation products for buildings

Type, Model

Thermosafe-homogen
Thermowall-L
Wood-fibre thermal insulation board

Testing basis

DIN EN 13171:2015-04
DIN EN 13172:2012-04
European Insulation KEYMARK Scheme for Thermal Insulation Products (2016-11)

Mark of conformity



Registration No.

011-7D083

Valid until

2020-06-30

Nutzungsrecht

This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number.

See annex for further information.

ANNEX

Page 1 of 1

Certificate

011-7D083 dated 2018-06-21

Technical Data

Thermosafe-homogen

- Designation code in accordance with DIN EN 13171:
WF-EN 13171-T4-WS2,0-CS(10/Y)50-MU4-AFr100
- Thermal conductivity: 0,038 W/(mK)
- Reaction to fire: Euroclasse E
- Thickness: 40 mm - 240 mm

Thermowall-L

- Designation code in accordance with DIN EN 13171:
WF-EN 13171-T5-WS1,0-DS(70,-)3-CS(10/Y)50-TR7,5-MU3-AFr100
- Thermal conductivity: 0,038 W/(mK)
- Reaction to fire: Euroclasse E
- Thickness: 120 mm - 200 mm

**Testing laboratory/
Inspection body**

Materialprüfungsanstalt
Universität Stuttgart
Pfaffenwaldring 32
70569 Stuttgart
GERMANY

Test report(s)

90003345/3/Schr dated 2017-04-24
9003345/17/Schr dated 2017-04-26

**Surveillance contract/
License agreement**

7000386 dated 2017-01-26

