

Declaration of Performance 0068 - CPR - 023/2014 - DP109EN1606202

- 1. Unique identification code of the product-type: Aquafloor Eco
- 2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

Product name: Aquafloor Eco

Production date and batch are printed on the package.

Production plant: Diasen Srl - zona Ind.le Berbentina, 5 - 60041 Sassoferrato (AN).

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

Products and systems for the protection and restoration of concrete structures – Part 2: Systems to protect concrete surfaces in accordance with UNI EN 1504-2.

Predicted use: products for protecting surfaces - coating.

Uses provided for: control humidity and increase in resistivity Product used in buildings and civil engineering works.

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

Diasen Srl - zona Ind.le Berbentina, 5 - 60041 Sassoferrato (AN) - www.diasen.com

5. Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2):

Not applicable.

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 2+.

 In case of the declaration of performance concerning a construction product covered by a harmonized standard: Istituto di Ricerche e Collaudi M. Masini – Identification number: 0068. Has done:

- 1. initial inspection of the production plant and production control;
- 2. supervision, assessment and evaluation of plant production control. According to system 2+ and issued the certificate of conformity of the plant production control n. 0068-CPR-022/2014 of 27/03/2014.

8. Declared performance:

Essential Characteristics	Performance	Test methods
Vapour permeability value	μ = 1932	UNI ISO 7783
Capillary absorption and water permeability	NPD	UNI 1062-3
Adhesion test of straight traction	NPD	UNI 1542
Fire resistance	NPD	UNI 13501-1
Dangerous substances	See safety data sheet	Regulation CE n. 1272/2008

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by: Diego Mingarelli – Legal representative

Sassoferrato, 09/02/2016

R04_7.2_SGQA rev 0 of 30/06/2013





Tel. +39 0732 9718 - Fax +39 0732 971899 - diasen@diasen.com - www.diasen.com

DIASEN Srl

Reg. Imp. Ancona 01553210426 - K.E.A. Ancona n. 150933 Reg. Imp. Ancona 01553210426 - Cap. Soc. euro 400.000,00.



0068	Zona Industriale Berbentina, 5 – 60041 Sassoferrato (AN) – Italy ww.diasen.com		
14 CPR – 022/2014 UNI EN 1504-2 AQUAFLOOR Eco Products and systems for the protection and restoration of concrete structures - Part 2: Systems to protect concrete surfaces			
Vapour permeability value: Capillary absorption and water permeability: Adhesion test of straight traction: Fire resistance: Dangerous substances		μ = 1932 NPD NPD NPD see safety data sheet	

DIASEN Srl Zona Ind. Berbentina, 5 60041 Sassoferrato (AN) - ITALY Tel. +39 0732 9718 - Fax +39 0732 971899 - diasen@diasen.com - www.diasen.com

PARTITA IVA 01553210426 - R.E.A. Ancona n. 150933 Reg. Imp. Ancona 01553210426 - Cap. Soc. euro 400.000,00.

