

Declaration of Performance 0068 - CPR - 022/2014 - DP044EN1627100

- 1. Unique identification code of the product-type: Grip Primer.
- 2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

Product name: Grip Primer.

Production date and batch are printed on the package.

Production plant: Diasen Srl - zona Ind.le Berbentina, 5 - 60041 Sassoferrato (AN).

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

Products and systems for the protection and restoration of concrete structures – Part 2 : Systems to protect concrete surfaces in accordance with UNI EN 1504-2.

Intended use: products for superficial protection - coating. Intended purposes: humidity control and increase of the resistivity. Product used in buildings and civil engineer works.

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

Diasen Srl - zona Ind.le Berbentina, 5 - 60041 Sassoferrato (AN) – www.diasen.com.

5. Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2):

Not applicable.

6. System or systems of assessment and verification of performance constancy of the construction product as set out in Annex V:

System 2+.

7. In case of the declaration of performance concerning a construction product covered by a harmonized standard:

Istituto di Ricerche e Collaudi M. Masini - Identification number: 0068

Has done:

- 1. initial inspection of the production plant and production control;
- continuous supervision, assessment and evaluation of plant production control according to system 2+ and issued the conformity certificate of the plant production control n. 0068-CPR-022/2014 of 27/03/2014.
- 8. Declared performance:

Essential Features	Performance	Harmonized Technical Specification
Water vapour permeability	S _d = 0.49 m	EN ISO 7783
Capillary absorption and water permeability	NPD	EN 1062-3
Adhesion for straight traction	NPD	EN 1542
Reaction to fire	NPD	EN 13501-1
Dangerous substances	See SDS	EC Regulation n. 1272/2008

9. The product performance identified in points 1 and 2 is in conformity with the declared performance described in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by: Diego Mingarelli – Legal representative

Sassoferrato, 04/07/2016

R04_7.2_QEMS rev. 0 of 30/06/2013





Sassofer ato (AN)

DiaSen srl

Z. Ind.le Berbentina, 5











Zona Industriale Berbentina, 5 – 60041 Sassoferrato (AN) – Italy ww.diasen.com

14 CPR - 022/2014 EN 1504-2 GRIP PRIMER

Products and systems for the protection and restoration of concrete structures – Part 2: Systems to protect concrete surfaces

Water vapour permeability: $S_d = 0.49 \text{ m}$

Capillary absorption and water permeability: NPD
Adhesion for straight traction: NPD
Reaction to fire: NPD

Dangerous substances: see SDS.







