

		DLOURS FOR LIFE Gloss paint 10 Liter, Base U, Colour tone: vision date 06-Jan-2022	Print date 06-Jan-2022	
SE	CTION 1: Identification of the s	ubstance/mixture and of the company/undertaking		
1.1	Product identifier			
	Trade name/designation			
	5160000	COLOURS FOR LIFE Gloss paint 10 Liter, Base U, Colour tone:		
1.2	Relevant identified uses of the substance or mixture and uses advised against			
	Relevant identified uses			
1.3	Details of the supplier of the safety data sheet			
	Supplier			
	AURO Pflanzenchemie AG Alte Frankfurter Straße 211 38122 Braunschweig Deutschland	Telephone: +49 531 28141-0 Telefax: +49 531 28141-72 E-mail: info@auro.de Website: www.auro.de		
	Department responsible for information			
	E-mail (competent person)	msds@auro.de		
1.4	· · · · · · · · · · · · · · · · · · ·			
	Emergency telephone number Only available during office hours	+44 1544388535		
SE	CTION 2: Hazards identification	n		
2.1	Classification of the substance or mixture not applicable Classification according to Regulation (EC) No 1272/2008 [CLP] The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].			
2.2	Label elements			
	Labelling according to Regulation (EC) No. 1272/2008 [CLP]			
	Hazard pictograms not applicable			
	Signal word			
	not applicable			
	Hazard statements			
	not applicable Precautionary statements			
	Precautionary statements not applicable			
	Hazard components for labelling			
	not applicable			
	Supplemental hazard information			
	not applicable			
2.3	Other hazards			
05		not meet the PBT/vPvB criteria according to REACH, annex XIII.		
	CTION 3: Composition / information on ingredients.			
3.2	Mixtures			
	Description			
	Hazardous ingredients			

not applicable Remark



5160000 Version 1.0 COLOURS FOR LIFE Gloss paint 10 Liter, Base U, Colour tone:

Revision date 06-Jan-2022

Print date 06-Jan-2022

Full text of H- and EUH-statements: see section 16.Full text of H-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1 **Personal precautions, protective equipment and emergency procedures** Ventilate affected area. Do not breathe vapours.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

For cleaning up

Clean using cleansing agents. Do not use solvents.



Print date 06-Jan-2022

5160000COLOURS FOR LIFE Gloss paint 10 Liter, Base U, Colour tone:Version 1.0Revision date 06-Jan-2022

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. Personal protection equipment: see section 8 Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Advices on general occupational hygiene

When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3 Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No data available

Biological limit values

No data available

8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

Personal protection equipment

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Hand protection

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin.

Recommended glove articles: EN ISO 374

Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Eye glasses with side protection

Body protection

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

Environmental exposure controls

Do not allow to enter into surface water or drains.



		COLOURS FOR LIFE Gloss paint 10 Liter, Base U, Colour tone: Revision date 06-Jan-2022	Print date 06-Jan-2022		
SE	CTION 9: Physical and chei	nical properties			
9.1	Information on basic physical and chemical properties				
	Appearance				
	Physical state	liquid			
	Colour	refer to label			
	Safety characteristics				
	Odour	characteristic			
	Odour threshold	not determined			
	рН	not determined			
	Melting point/freezing point	not determined			
	Initial boiling point and boiling	range not determined			
	Flash point	not determined			
	Evaporation rate at 20°C	not determined			
	Burning time	not applicable			
	Lower explosion limit at 20°C	not determined			
	Upper explosion limit at 20°C	not determined			
	Vapour pressure at 20°C	not determined			
	Density at 20°C	1 kg/l			
	Water solubility at 20°C	not determined			
	Partition coefficient: n-octanol	water see section 12			
	Ignition temperature in °C	not determined			
	Decomposition temperature	not determined			
	Viscosity	not determined			
	Explosive properties	not relevant			
	Oxidising properties	not relevant			
92	Other information				

9.2 Other information

not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4 Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

SECTION 11: Toxicological information

11.1 Information on toxicological effects



Print date 06-Jan-2022

5160000COLOURS FOR LIFE Gloss paint 10 Liter, Base U, Colour tone:Version 1.0Revision date 06-Jan-2022

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: Headache, Dizziness, fatigue, amyosthenia, Dizziness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

SECTION 12: Ecological information

12.1 Toxicity

Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal

Do not empty into drains; dispose of this material and its container in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Waste codes/waste designations according to EWC/AVV

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Other disposal recommendations

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information

14.1 UN number

not applicable



5160000 COLOURS FOR LIFE Gloss paint 10 Liter, Base U, Colour tone: Version 1.0 Revision date 06-Jan-2022 Print date 06-Jan-2022 14.2 UN proper shipping name Land transport (ADR/RID) No dangerous good in sense of these transport regulations. Sea transport (IMDG) No dangerous good in sense of these transport regulations. Air transport (ICAO-TI / IATA-DGR) No dangerous good in sense of these transport regulations. 14.3 Transport hazard class(es) not applicable 14.4 Packing group not applicable 14.5 Environmental hazards Land transport (ADR/RID) not applicable Sea transport (IMDG) not applicable 14.6 Special precautions for user Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code No transport as bulk according to IBC Code. 14.8 Additional information Land transport (ADR/RID) not applicable Sea transport (IMDG) not applicable Air transport (ICAO-TI / IATA-DGR) not applicable **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable.

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC-value: < 1 g/l

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]

Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

National regulations

Substance/product listed in the following inventories

AICS - Australien DSL - Kanada DSL/NDSL - Kanada EHSNR - Malaysia EINECS/ELINCS - Europäische Union ENCS (Class 1 and 2) - Japan GOST - Russische Föderation IECSC - China, Volksrepublik



5160000 Version 1.0 COLOURS FOR LIFE Gloss paint 10 Liter, Base U, Colour tone:

Revision date 06-Jan-2022

Print date 06-Jan-2022

INSQ - Mexiko KECL - Korea, Republik (Südkorea) KKDIK - Türkei Korea Existing Chemicals Inventory(KECI) - Korea, Republik (Südkorea) NDSL - Kanada NZIoC - Neuseeland PICCS - Philippinen REACH - Europäische Union RPOHV - Russische Föderation TCSI - Taiwan TSCA - Vereinigte Staaten von Amerika VNECI - Vietnam

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Relevant R-, H- and EUH-phrases (Number and full text)Relevant R-and H-phrases (Number and full text): not applicable

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

not applicable

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road **OEL: Occupational Exposure Limit Value BLV: Biological limit values** CAS: Chemical Abstracts Service CLP: Classification, Labelling and Packaging CMR: Carcinogenic, Mutagenic and Reprotoxic DIN: German Institute for Standardization / German industrial standard **DNEL: Derived No-Effect Level** EAKV: European Waste Catalogue Directive EC: Effective Concentration EC: European Community EN: European Standard IATA-DGR: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk ICAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air IMDG Code: International Maritime Code for Dangerous Goods ISO: International Organization for Standardization LC: Lethal Concentration LD: Lethal Dose MWC: Maximum wokplace concentration MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships OECD: Organisation for Economic Cooperation and Development PBT: persistent, bioaccumulative, toxic PNEC: Predicted No Effect Concentration RID: Regulations concerning the International Carriage of Dangerous Goods by Rail **UN: United Nations** VOC: Volatile Organic Compounds vPvB: very persistent and very bioaccumulative

Indication of changes

* Data changed compared with the previous version

For over 20 years, Ecological Building Systems has been at the forefront of environmental and sustainable building products supplying a range of innovative airtightness solutions and natural insulations backed up with expert technical support.

As product suppliers in the UK and Ireland, we're happy to assist you with your projects and have expert technical and sales advice on hand.



Call us

Great Britain +44 (0)1228 711511 Ireland +353 46 9432104



Email us

info@ecologicalbuildingsystems.com



Find us

Great Britain Ecological Building Systems UK Ltd., Cardewlees, Carlisle, Cumbria, CA5 6LF, United Kingdom

Ireland Ecological Building Systems Ltd., Main Street, Athboy. Co. Meath, C15 Y678, Republic of Ireland



Discover our solutions online at ecologicalbuildingsystems.com