



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
(This safety data sheet is for information only as it does not comply with the official language requirements of Article 31 (5) of REACH nor does it provide the national information in sections 8 and 15 as specified in Annex II of REACH.)

## Luno Lime Smooth Finish

Version number: 4.0  
Replaces version of: 2021-09-10 (3)

Revision: 2023-07-17  
First version: 2020-03-18

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name** Luno Lime Smooth Finish  
**Unique formula identifier (UFI)** OYC8-R0SJ-4004-TMDR

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses** Internal plastering

#### 1.3 Details of the supplier of the safety data sheet

redstone GmbH & Co. KG  
Haferwende 1  
D-28357 Bremen  
Germany

Telephone: +49 (0) 421-223149-0  
Telefax: +49 (0) 421-223149-90  
e-mail: info@redstone.de  
Website: www.redstone.de

**e-mail (competent person)** sdb@csb-compliance.com

Please do not use this e-mail address to ask for the latest safety data sheet. For this purpose contact redstone GmbH & Co. KG.

#### 1.4 Emergency telephone number

As above or nearest toxicological information centre.

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification				
Section	Hazard class	Category	Hazard class and category	Hazard statement
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16

# Luno Lime Smooth Finish

## 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word danger

Pictograms

GHS05



Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements

P260 Do not breathe dust.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

Hazardous ingredients for labelling calcium dihydroxide

## 2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0,1\%$ .

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0,1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture).

### 3.2 Mixtures

Description of the mixture

Hazardous ingredients					
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
calcium dihydroxide	CAS No 1305-62-0  EC No 215-137-3	10 – <25	Skin Irrit. 2 / H315 Eye Dam. 1 / H318 STOT SE 3 / H335	 	IOELV

# Luno Lime Smooth Finish

Hazardous ingredients					
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
	REACH Reg. No 01-2119475151- 45-xxxx				

## Notes

IOELV: Substance with a community indicative occupational exposure limit value

For full text of H-phrases: see SECTION 16

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General notes

Self-protection of the first aider.

Remove affected person from the danger area and lay down.

Do not leave affected person unattended.

Take off immediately all contaminated clothing.

In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following inhalation

Provide fresh air.

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

#### Following skin contact

Rinse skin with water/shower.

If skin irritation occurs: Get medical advice/attention.

#### Following eye contact

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### Following ingestion

Rinse mouth. Do not induce vomiting.

Get medical advice/attention if you feel unwell.

#### Notes for the doctor

None.

### 4.2 Most important symptoms and effects, both acute and delayed

This information is not available.

### 4.3 Indication of any immediate medical attention and special treatment needed

None.

# Luno Lime Smooth Finish

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

water, foam, alcohol resistant foam, fire extinguishing powder

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products: Section 10.

### 5.3 Advice for firefighters

Non-combustible.

In case of fire and/or explosion do not breathe fumes.

Co-ordinate firefighting measures to the fire surroundings.

Do not allow firefighting water to enter drains or water courses.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

#### Special protective equipment for firefighters

Wear self-contained breathing apparatus

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Remove persons to safety.

Ventilate affected area.

Do not breathe dust.

Control of dust.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically.

# Luno Lime Smooth Finish

---

## **Other information relating to spills and releases**

Place in appropriate containers for disposal.  
Ventilate affected area.

## **6.4 Reference to other sections**

Personal protective equipment: see section 8.  
Incompatible materials: see section 10.  
Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

Avoid contact with skin and eyes.  
Do not breathe dust.

#### **Measures to prevent fire as well as aerosol and dust generation**

Use local and general ventilation.  
Removal of dust deposits.

#### **Specific notes/details**

Dust deposits may accumulate on all deposition surfaces in a technical room.

#### **Handling of incompatible substances or mixtures**

Do not mix with acids.

#### **Measures to protect the environment**

Avoid release to the environment.

#### **Advice on general occupational hygiene**

Do not eat, drink and smoke in work areas.  
Wash hands after use.  
Preventive skin protection (barrier creams/ointments) is recommended.  
Remove contaminated clothing and protective equipment before entering eating areas.

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Flammability hazards**

None.

#### **Incompatible substances or mixtures**

Incompatible materials: see section 10.

#### **Protect against external exposure, such as**

humidity

#### **Consideration of other advice**

Keep away from food, drink and animal feeding stuffs.

#### **Ventilation requirements**

Provision of sufficient ventilation.

# Luno Lime Smooth Finish

## Specific designs for storage rooms or vessels

Keep container tightly closed and in a well-ventilated place.  
Store in a dry place.

## Packaging compatibilities

Keep only in original container.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Notation	Source
EU	calcium dihydroxide	1305-62-0	IOELV	-	1	-	4	r	2017/164/EU

#### Notation

r respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
calcium dihydroxide	1305-62-0	DNEL	1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects

Relevant PNECs of components of the mixture				
Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment
calcium dihydroxide	1305-62-0	PNEC	0.49 mg/l	freshwater
calcium dihydroxide	1305-62-0	PNEC	0.32 mg/l	marine water
calcium dihydroxide	1305-62-0	PNEC	3 mg/l	sewage treatment plant (STP)
calcium dihydroxide	1305-62-0	PNEC	1,080 mg/kg	soil

### 8.2 Exposure controls

#### Appropriate engineering controls

Use local and general ventilation.

# Luno Lime Smooth Finish

## Individual protection measures (personal protective equipment)

### Eye/face protection

Wear eye/face protection. (EN 166).

### Hand protection

Protective gloves		
Material	Material thickness	Breakthrough times of the glove material
IIR: isobutene-isoprene (butyl) rubber	≥ 0,45 mm	>480 minutes (permeation: level 6)

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Body protection

Protective clothing for use against solid particulates.  
(EN 13832, EN 340, EN 14605).

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.  
Particle filter device (DIN EN 143).

### Environmental exposure controls

Use appropriate container to avoid environmental contamination.  
Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	solid
<b>Colour</b>	white
<b>Odour</b>	odourless
<b>Melting point/freezing point</b>	not determined
<b>Boiling point or initial boiling point and boiling range</b>	not determined
<b>Flammability</b>	non-combustible
<b>Lower and upper explosion limit</b>	not applicable (solid)
<b>Flash point</b>	not applicable
<b>Auto-ignition temperature</b>	not applicable (solid)

# Luno Lime Smooth Finish

<b>Decomposition temperature</b>	not relevant
<b>pH (value)</b>	12.4 (in aqueous solution: 10 <sup>g/l</sup> )
<b>Viscosity</b>	not relevant (solid)
<b>Solubility(ies)</b>	
Water solubility	not miscible in any proportion
<b>Partition coefficient n-octanol/water (log value)</b>	not relevant (inorganic)
<b>Vapour pressure</b>	not determined
<b>Density and/or relative density</b>	
Density	not determined
Relative vapour density	not applicable
<b>Particle characteristics</b>	no data available
<b>9.2 Other information</b>	
<b>Information with regard to physical hazard classes</b>	hazard classes acc. to GHS (physical hazards): not relevant
<b>Other safety characteristics</b>	there is no additional information

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The mixture contains reactive substance(s).

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

Do not mix with acids.

May be corrosive to metals.

### 10.4 Conditions to avoid

Protect from moisture.

### 10.5 Incompatible materials

acids, carbon dioxide (CO<sub>2</sub>)

# Luno Lime Smooth Finish

## 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Classification procedure

If not otherwise specified the classification is based on:  
Ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Test data are not available for the complete mixture.

#### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species	Method
calcium dihydroxide	1305-62-0	oral	LD0	>2,000 mg/kg	rat, female	OECD Guideline 425
calcium dihydroxide	1305-62-0	dermal	LD0	>2,500 mg/kg	rabbit	OECD Guideline 402
calcium dihydroxide	1305-62-0	inhalation: dust/mist	LC50	>6.04 mg/l/4h	rat	OECD Guideline 436

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

##### Skin sensitisation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

##### Respiratory sensitisation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

##### Germ cell mutagenicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

# Luno Lime Smooth Finish

## Carcinogenicity

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

## Reproductive toxicity

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

## Specific target organ toxicity - single exposure

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

## Specific target organ toxicity - repeated exposure

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

## Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

### Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0,1\%$ .

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity (acute)

Test data are not available for the complete mixture.

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Exposure time	Value	Species	Method
calcium dihydroxide	1305-62-0	LC50	96 h	50.6 mg/l	rainbow trout (Oncorhynchus mykiss)	OECD Guideline 201
calcium dihydroxide	1305-62-0	LC50	96 h	158 mg/l	daphnia magna	OECD Guideline 202
calcium dihydroxide	1305-62-0	EC50	48 h	49.1 mg/l	daphnia magna	OECD Guideline 202
calcium dihydroxide	1305-62-0	ErC50	72 h	184.6 mg/l	algae (raphidocelis subcapitata)	OECD Guideline 201

#### Aquatic toxicity (chronic)

Test data are not available for the complete mixture.

# Luno Lime Smooth Finish

## Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Exposure time	Value	Species	Method
calcium dihydroxide	1305-62-0	LC50	14 d	53.1 mg/l	Crustaceae (Cran-gon sp.)	-
calcium dihydroxide	1305-62-0	EC50	3 h	300.4 mg/l	activated sludge of a predominantly domestic sewage	OECD Guideline 209
calcium dihydroxide	1305-62-0	NOEC	14 d	32 mg/l	Crustaceae (Cran-gon sp.)	-
calcium dihydroxide	1305-62-0	NOEC	72 h	48 mg/l	algae (raphidocelis subcapitata)	OECD Guideline 201
calcium dihydroxide	1305-62-0	LOEC	72 h	80 mg/l	algae (raphidocelis subcapitata)	OECD Guideline 201
calcium dihydroxide	1305-62-0	growth (EbCx) 20%	3 h	229.2 mg/l	activated sludge of a predominantly domestic sewage	OECD Guideline 209
calcium dihydroxide	1305-62-0	growth (EbCx) 80%	3 h	393.9 mg/l	activated sludge of a predominantly domestic sewage	OECD Guideline 209
calcium dihydroxide	1305-62-0	growth rate (ErCx) 10%	72 h	79.22 mg/l	algae (raphidocelis subcapitata)	OECD Guideline 201
calcium dihydroxide	1305-62-0	growth rate (ErCx) 20%	72 h	106 mg/l	algae (raphidocelis subcapitata)	OECD Guideline 201

## 12.2 Persistence and degradability

### Biodegradation

No data available.

### Persistence

No data available.

## 12.3 Bioaccumulative potential

Test data are not available for the complete mixture.

### n-octanol/water (log KOW)

not relevant  
(inorganic)

## 12.4 Mobility in soil

No data available.

## 12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0,1\%$ .

# Luno Lime Smooth Finish

## 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0,1\%$ .

## 12.7 Other adverse effects

Data are not available.

### Remarks

Wassergefährdungsklasse, WGK (water hazard class): 1

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Completely emptied packages can be recycled.

Handle contaminated packages in the same way as the substance itself.

### Remarks

Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

14.1	UN number or ID number	not assigned
14.2	UN proper shipping name	-
14.3	Transport hazard class(es)	-
14.4	Packing group	-
14.5	Environmental hazards	-
14.6	Special precautions for user	-
14.7	Maritime transport in bulk according to IMO instruments	-

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

# Luno Lime Smooth Finish

## Restrictions according to REACH, Annex XVII

Name	Name acc. to inventory	CAS No	Restriction
calcium dihydroxide	substances in tattoo inks and permanent make-up	-	R75

### Legend

- R75 1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:
- in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
  - in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
  - in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
  - in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:
    - 0,1 % by weight, if the substance is used solely as a pH regulator;
    - 0,01 % by weight, in all other cases;
  - in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (\*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
  - in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
    - "Rinse-off products";
    - "Not to be used in products applied on mucous membranes";
    - "Not to be used in eye products";
  - in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
  - in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.
2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.
4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
- Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
  - Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.
6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously,

# Luno Lime Smooth Finish

---

## Legend

and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

(a) the statement "Mixture for use in tattoos or permanent make-up";

(b) a reference number to uniquely identify the batch;

(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;

(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;

(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;

(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible.

The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

## List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

## Seveso Directive

Not assigned.

## Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

None of the ingredients are listed.

## Regulation on the marketing and use of explosives precursors

None of the ingredients are listed.

# Luno Lime Smooth Finish

## Regulation on drug precursors

None of the ingredients are listed.

## Regulation on substances that deplete the ozone layer (ODS)

None of the ingredients are listed.

## Regulation concerning the export and import of hazardous chemicals (PIC)

None of the ingredients are listed.

## Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye

## Luno Lime Smooth Finish

Abbr.	Descriptions of used abbreviations
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LOEC	Lowest Observed Effect Concentration
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

Regulation (EC) No. 1907/2006 (REACH).

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN).

International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

# Luno Lime Smooth Finish

---

## Classification procedure

Physical and chemical properties.

Health hazards.

Environmental hazards.

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

## Responsible for the safety data sheet

C.S.B. GmbH  
Dujardinstr. 5  
47829 Krefeld, Germany

Telephone: +49 (0) 2151 - 652086 - 0  
Telefax: +49 (0) 2151 - 652086 - 9  
e-Mail: [info@csb-compliance.com](mailto:info@csb-compliance.com)  
Website: [www.csb-compliance.com](http://www.csb-compliance.com)

## Disclaimer

This information is based upon the present state of our knowledge.

This SDS has been compiled and is solely intended for this product.

---

For over 20 years, Ecological Building Systems has been at the forefront of environmental and sustainable building products supplying a range of innovative airtightness solutions and natural insulations backed up with expert technical support.

**As product suppliers in the UK and Ireland, we're happy to assist you with your projects and have expert technical and sales advice on hand.**



**Call us**

**Great Britain** +44 (0)1228 711511

**Ireland** +353 46 9432104



**Email us**

[info@ecologicalbuildingsystems.com](mailto:info@ecologicalbuildingsystems.com)



**Find us**

**Great Britain** Ecological Building Systems UK Ltd.,  
Cardewlees, Carlisle, Cumbria, CA5 6LF,  
United Kingdom

**Ireland** Ecological Building Systems Ltd.,  
Main Street, Athboy. Co. Meath, C15 Y678,  
Republic of Ireland